



SIZE 52½" X 72½"

Exclusive  
project for  
FabShop  
Members




Home Dec



Brights






Finished Size: 52½" X 72½"

### FABRIC REQUIREMENTS

	<b>Fabric A</b> 24777 LFLN ½ YARD 1 BOLT		<b>Fabric B</b> 24776 LFLN ½ YARD 1 BOLT		<b>Fabric C</b> 24777 BYFLN ½ YARD 1 BOLT		<b>Fabric D</b> 24776 BFLN ½ YARD 1 BOLT
	<b>Fabric E</b> 24778 QFLN ½ YARD 1 BOLT		<b>Fabric F</b> 24776 QFLN ½ YARD 1 BOLT		<b>Fabric G</b> 24778 OFLN ½ YARD 1 BOLT		<b>Fabric H</b> 24776 OFLN ½ YARD 1 BOLT
	<b>Fabric I</b> 24778 SFLN ½ YARD 1 BOLT		<b>Fabric J</b> 24776 SFLN ½ YARD 1 BOLT		<b>Fabric K</b> 24778 PFLN ½ YARD 1 BOLT		<b>Fabric L</b> 24776 PFLN ½ YARD 1 BOLT
	<b>Fabric M</b> 24776 EFLN 1¾ YARDS 2 BOLTS		<b>Fabric N</b> 24779 YFLN 1⅝ YARDS* 2 BOLTS	*includes binding			



Finished Size: 52½" X 72½"

### FABRIC REQUIREMENTS

	<b>Fabric A</b> <b>24777 DMFLN</b> ½ YARD 1 BOLT		<b>Fabric B</b> <b>24776 DMFLN</b> ½ YARD 1 BOLT		<b>Fabric C</b> <b>24777 HFLN</b> ½ YARD 1 BOLT		<b>Fabric D</b> <b>24776 HFLN</b> ½ YARD 1 BOLT
	<b>Fabric E</b> <b>24777 VMFLN</b> ½ YARD 1 BOLT		<b>Fabric F</b> <b>24776 VMFLN</b> ½ YARD 1 BOLT		<b>Fabric G</b> <b>24778 QBFLN</b> ½ YARD 1 BOLT		<b>Fabric H</b> <b>24776 QBFLN</b> ½ YARD 1 BOLT
	<b>Fabric I</b> <b>24778 VMLN</b> ½ YARD 1 BOLT		<b>Fabric J</b> <b>24776 VMFLN</b> ½ YARD 1 BOLT		<b>Fabric K</b> <b>24777 WFLN</b> ½ YARD 1 BOLT		<b>Fabric L</b> <b>24776 WFLN</b> ½ YARD 1 BOLT
	<b>Fabric M</b> <b>24776 EFLN</b> 1¾ YARDS 2 BOLTS		<b>Fabric N</b> <b>24779 NFLN</b> 1⅝ YARDS* 2 BOLTS	*includes binding			



*We recommend that you carefully read through all instructions before getting started on your project.*

**2.** Sew a light section and a dark section to a 4" x 12½" **Fabric B** rectangle, matching centers. Make 8.

## CUTTING DIRECTIONS

**WOF = Width of fabric**

**Fabrics A, C, E, G, I, and K (darks)** cut from **each** fabric:

- 1 strip, 9" x WOF; cut into (32) 1" x 9" strips
- 2 strips, 3" x WOF; cut into (16) 3" squares

**Fabric B, D, F, H, J, and L (lights)**

- 1 strip, 12½" x WOF; cut into (8) 4" x 12½" rectangles and (8) 1" x 12½" strips. Trim the 1"-wide strips to 1" x 9".

**Fabric M**

- 1 strip, 9" x WOF; cut into (40) 1" x 9" strips
- 2 strips, 1" x WOF; cut into (8) 1" x 9" strips
- 6 strips, 4¼" x WOF; cut into (48) 4¼" squares. Cut each square in half diagonally to make 2 triangles (96 total)
- 7 strips, 2½" x WOF; piece strips to make (2) 2½" x 69" side outer borders and (2) 2½" x 56" top and bottom outer borders.


**Fabric N**

- 7 strips, 2½" x WOF for binding
- 31 strips, 1" x 36"; cut on the lengthwise grain. From 18 strips, cut: (20) 1" x 17" strips and (24) 1" x 8½" strips. Piece the remaining strips to make (2) 1" x 68" side inner borders, (2) 1" x 52" top and bottom inner borders, and (3) 1" x 51" sashing strips (**TIP:** These strips are cut on the lengthwise grain to prevent stretching. )

## SEWING INSTRUCTIONS

Use a ¼" seam allowance throughout.


**1.** Sew two 1¼" x 9" **Fabric A** strips to a 11⅞" x 9" **Fabric M** strip to make a light section. Sew two 1¼" x 9" **Fabric A** strips to a 11⅞" x 9" **Fabric B** strip to make a dark section. Make 8 of each.




make 8




make 8




**3.** Sew 2 **Fabric M** triangles to the unit, matching centers. Make 8.




**4.** Fold a unit in half lengthwise and make a light crease to mark the center. Center an 8½" square ruler or plastic template on the unit, matching the top and bottom points with the crease. Cut around the ruler. Make 8.



**5.** Draw a diagonal line from corner to corner on the wrong side of each **Fabric A** square. Place a marked square on one **Fabric B** corner of a unit, right sides together. Sew on the line. Cut  $\frac{1}{4}$ " away from the line and press the triangle open. Repeat on the opposite corner to complete a block unit. Make 8 matching block units.



**6.** Lay out 4 block units, two 1" x 8½" **Fabric N** sashing strips, and a 1" x 17" **Fabric N** sashing strip. Join the pieces to make a block. Make 2 A/B blocks.  
**TIP:** Sew with the sashing strips on top to avoid stretching the units.



**7.** Repeat steps 1-6 to make 2 C/D blocks, 2 E/F blocks, 2 G/H blocks, 2 I/J blocks, and 2 K/L blocks.

## QUILT ASSEMBLY

**1.** Referring to the quilt image, lay out the blocks and remaining 1" x 17" **Fabric N** strips in horizontal rows. Join the blocks and strips into rows.

**2.** Sew the 1" x 51" **Fabric N** sashing strips between the rows. Be sure the carefully align the vertical sashing strips when sewing the sashing between the rows.

**3.** Sew the 1" x 68" **Fabric N** inner border strips to the sides of the quilt, and then sew the 1" x 52" **Fabric N** inner border strips to the top and bottom.

**4.** Sew the 2½" x 69" **Fabric M** outer border strips to the sides of the quilt, and then sew the 2½" x 56" **Fabric M** outer border strips to the top and bottom.

## FINISHING THE QUILT

**1.** Layer the backing, batting, and quilt top. Baste; quilt as desired.

**2.** Join the 2¼"-wide **Fabric N** strips end to end to make binding. Using your favorite method, attach the binding to the quilt.

*While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.*